

HONO

design Mandalaki




**LUCE
PLAN**

A16S2W / A16SD2W




A16S2W + A16/4





29* Hono A16S2W drivers are suitable for use with Trailing edge dimm

A16SD2W + A16/4




29* Hono A16SD2W drivers are suitable for use with DALI - Push dimm



A16/4

A16S2W
A16SD2W




kg 1,3kg





lb 2,9 lb

1


A16S2W / A16SD2W
+
A16/4




2.1 A16S2W




2.2 A16SD2W




2




2.1




3




OFF



3.2




3.3





3.4





3.5




4





A



B




C



OFF



4.1



ECODESIGN

SYMBOL LEGEND

LEGENDA DEI SIMBOLI


ERLÄUTERUNG DER SYMBOLE

LEGENDE DES SYMBOLES


LEYENDA DE LOS SIMBOLOS



Replaceable light source by end-user
Fonte luminosa sostituibile dal cliente finale
Auswechselbare Lichtquelle durch den Endanwender
Source lumineuse remplaçable par l'utilisateur final
Fuente de luz reemplazable por el usuario final





Replaceable light source by a professional
Fonte luminosa sostituibile da un professionista
Auswechselbare Lichtquelle durch einen Fachmann
Source lumineuse remplaçable par un professionnel
Fuente de luz reemplazable por un profesional





Replaceable (LED only) light source by end-user
Fonte luminosa (solo LED) sostituibile dal cliente finale
Auswechselbare (nur LED) Lichtquelle durch den Endanwender
Source lumineuse remplaçable (LED uniquement) par l'utilisateur final
Fuente de luz reemplazable (sólo LED) por el usuario final





Replaceable (LED only) light source by a professional
Fonte luminosa (solo LED) sostituibile da un professionista
Auswechselbare (nur LED) Lichtquelle durch einen Fachmann
Source lumineuse remplaçable (LED uniquement) par un professionnel
Fuente de luz reemplazable (sólo LED) por un profesional





Non-replaceable light source
Fonte luminosa non sostituibile
Nicht austauschbare Lichtquelle
Source lumineuse non remplaçable
Fuente de luz no reemplazable




Replaceable control gear by end-user
Unità di alimentazione sostituibile dal cliente finale
Austauschbares Vorschaltgerät durch einen Endanwender
Pièce d'alimentation remplaçable par l'utilisateur final
Unidad de alimentación reemplazable por el usuario final





Replaceable control gear by a professional
Unità di alimentazione sostituibile da un professionista
Austauschbares Vorschaltgerät durch einen Fachmann
Pièce d'alimentation remplaçable par un professionnel
Unidad de alimentación reemplazable por un profesional




Non-replaceable control gear
Unità di alimentazione non sostituibile
Nicht austauschbares Vorschaltgerät
Pièce d'alimentation non remplaçable
Unidad de alimentación no reemplazable



5



OFF





www.luceplan.com

A160I002